



MAINTENANCE SCHEDULE - EVORA

LSL537f

Job no.: Owner's name: Vehicle:

Vehicle registration no.: V.I.N.:

Recorded mileage: Mileage/Km at last service.:

Today's date: Date of last service:

EXPLANATORY NOTES:

Required Maintenance

In order to maintain warranty validation and help ensure proper safety, emissions performance and dependability of the vehicle, Lotus Cars Ltd. requires that the vehicle be serviced in accordance with this schedule. Each service should be performed within 9,000 miles (15,000 km) or 12 months of the previous service, whichever first occurs. Any necessary repairs should be completed without delay.

A cross (X) in the following table indicates an operation to be performed. The corresponding box should be ticked when the operation has been satisfactorily performed or the X circled if extra work and time is required. The approval of the customer should be obtained before any extra work is undertaken, details of which should be recorded in the space provided at the end of the schedule.

Inspect means assess condition and test for correct operation. Extra time is required to adjust or repair - advise customer beforehand if necessary.

Check means test and adjust/fill or tighten as necessary, labour time is included.

Special Operating Conditions

If the car is subjected to one of the following 'special operating conditions', additional servicing is required (see additional servicing notes below):

- Regular use on unpaved or dusty roads (1,2)
- Use in mountainous areas with severe or prolonged brake usage (3)
- Frequent short trips with cold engine (esp. in cold weather/climates); and/or frequent or prolonged idling (1)
- Occasional circuit use, with repeated high rpm, wide throttle openings and high oil temperatures (1,3,4)
- Competition or track use (5)

Additional servicing:

- 1.Oil & filter change @ 4,500 m (7,500 km) intervals.
- 2.Inspect air cleaner @ 9,000 m (15,000 km) intervals, or as required.
- 3.Inspect brake pads & discs @ 1,000m (1,500 km) intervals, or as required.
- 4.Thorough safety check including wheels, tyres, suspension, steering and brake systems.
- 5.The Lotus Evora is designed as a road going sports car. It is recognised that owners may wish to use the car occasionally on closed circuit tracks to experience the car's full range of dynamic capabilities. But the use of the car in a competitive manner, including timed runs or laps, is not endorsed by Lotus. This type of timed, competitive use will invalidate warranty and require appropriate levels of expert vehicle preparation and servicing over and above that specified in the Maintenance Schedule.

After Sales Service

To be performed by the selling dealer within 1,000 - 1,500 miles (1,500 - 2,500 km) or 12 months of vehicle sale, whichever first occurs. **Dependant upon the market**, If carried out by the selling dealer, there is no charge to the vehicle owner for the labour content of the After Sales Service. Only for materials used will a charge be made. **Check with your dealer to confirm if your vehicle is valid for this offer.** To maintain warranty validation, an Engine History and Performance Report print out via the Lotus TechCentre must be submitted to the Warranty Department.

Recommended Fluids & Lubricants

Lotus recommends the use of **PETRONAS** products for many of its vehicle models. Please refer to the relevant 'Vehicle Data' sections of the workshop service notes for a full list of capacities, standards and approved products.

Road Test Performance

Engine performance Tailpipe CO

Clutch operation Gearbox operation

Brake performance Steering performance

Driveline & suspension noise/vibration Wheel balance

General comments

.....

.....

.....

.....

Additional Work Performed or Required

.....

.....

.....

.....

.....

.....

.....

Work completed by Owner's Maintenance Booklet stamped:

Recommended Service Times

After Sales Service:	1.9 hr
Regular Service:	2.8 hr
Op.2a:	0.6 hr
Op.4: Manual Transmission	0.4 hr
Op.4a: Automatic Transmission	1.0 hr
Op.5:	0.1 hr
Op.7:	0.6 hr
Op.14:	1.0 hr
Op.14a:	1.0 hr
Op.17:	0.1 hr
Op.20:	0.6 hr
Op.33:	0.1 hr
Op.34:	0.1 hr

Dealer Stamp:

.....

.....

.....

.....

.....

Date:

Op. No.	MAINTENANCE SCHEDULE EVORA OPERATION DESCRIPTION Isl537f	SERVICE TYPE		
		After Sales	9,000m/ 15,000km or 12 months	Other Intervals
1	Fit covers to seats, footwells, steering wheel and rear body	X	X	
LUBRICATION				
2	Renew engine oil and filter - <i>normal conditions</i>	X	X	
2a	Renew engine oil and filter - <i>special conditions</i>		4,500m (7,500km)/6 mnth	
3	Inspect engine & transmission for oil leaks	X	X	
4	Renew manual or automatic transmission oil - <i>normal conditions</i>		36,000m (58,000km)/4yr	
4a	Renew manual or automatic transmission oil - <i>special conditions</i>		4,500m (7,500km)/6 mnth	
ENGINE				
5	Inspect air cleaner element - <i>normal conditions</i>		X	
5a	Inspect air cleaner element - <i>dusty conditions</i>		As required	
6	Renew air cleaner element - <i>normal conditions</i>		36,000m (58,000km)/4yr	
6a	Renew air cleaner element - <i>dusty conditions</i>		As required	
7	Renew spark plugs		54,000m (90,000km)/6yr	
8	Inspect auxiliary drive belt condition		X	
9	Inspect integrity of fuel system		X	
10	Inspect for fault codes & ECU programme level	X	X	
11	Print Engine History & Performance reports and return to Lotus	X		
COOLING SYSTEM				
12	Inspect engine water coolant & oil cooler hoses/pipework systems for damage or leaks.		X	
13	Check engine water coolant (<i>All models</i>) & charge cooler coolant level (<i>Evora 400 only</i>)	X	X	
14	Renew engine coolant			4yrs
14a	Renew charge cooler coolant (<i>Evora 400 models only</i>)			4yrs
BRAKING SYSTEM				
15	Inspect parking brake adjustment	X	X	
16	Inspect brake pad thickness & disc condition - <i>normal conditions</i>		X	
17	Inspect brake pad thickness & disc condition - <i>special conditions</i>		4,500m (7,500km)/6 mnth	
18	Inspect brake hoses, pipes & hydraulic units		X	
19	Check brake/clutch fluid level	X	X	
20	Renew brake/clutch fluid		18,000m (30,000km)/24 mnth	
STEERING & SUSPENSION				
21	Check security and condition of front & rear suspension		X	
22	Inspect dampers for leaks and performance		X	
23	Inspect front and rear wheel bearings for play		X	
24	Inspect condition of drive shaft gaiters		X	
25	Inspect steering ball joints and gaiters		X	
26	Inspect free play at steering wheel		X	
WHEELS & TYRES				
27	Inspect tyre condition & set pressures	X	X	
ELECTRICAL				
28	Check battery & terminals for security & condition	X	X	
29	Inspect operation of all lights	X	X	
BODY				
30	Inspect operation/adjustment of hinges, latches & manual door lock	X	X	
31	Inspect operation & condition of seat belts		X	
32	Inspect wiper operation & top up windscreen washer reservoir	X	X	
33	Renew pollen filter		18,000m (30,000km)/24 mnth	
34	Renew alarm transmitter batteries (check with customer)			1yr